


 NPTF Pipe	30182 B-84  Male - Rigid	31382 B-84  Male - Swivel	30282 B-84  Female - Rigid	 JIC 37°	30382 B-84  Male - Rigid
30682 B-85  Female - Swivel	33782 B-85  Female - Swivel 45° Elbow - Short	33982 B-85  Female - Swivel 90° Elbow - Short	 Seal-Lok® O-Ring Face Seal	3JC82 B-85  Female - Swivel Short	 Standpipe
33482 B-86  Male - Rigid	 Union	38282 B-86  Push-Lok Union	 Metric L Swivels	3C382 B-86  Swivel - Ball Nose	

30182

Male NPTF Pipe - Rigid

#	Part Number	Thread inch	Hose I.D. inch	A		H inch	B		Additional Material	
				inch	mm		inch	mm	Brass (B)	Stainless Steel (C)
	30182-2-4	1/8x27	1/4	1.39	35	7/16	0.64	16	•	•
	30182-4-4	1/4x18	1/4	1.57	40	9/16	0.82	21	•	•
	30182-4-6	1/4x18	3/8	1.78	45	9/16	0.88	22	•	•
	30182-4-8	1/4x18	1/2	1.93	49	5/8	0.88	22	•	•
	30182-6-6	3/8x18	3/8	1.78	45	11/16	0.88	22	•	•
	30182-8-6	1/2x14	3/8	2.03	52	7/8	1.13	29	•	•
	30182-8-8	1/2x14	1/2	2.18	55	7/8	1.13	29	•	•
	30182-8-10	1/2x14	5/8	2.58	66	7/8	1.13	29	•	•
	30182-8-12	1/2x14	3/4	2.58	66	7/8	1.13	29	•	•
	30182-12-8	3/4x14	1/2	2.21	56	3/4	1.16	29	•	•
	30182-12-12	3/4x14	3/4	2.61	66	1-1/16	1.16	29	•	•
	30182-16-16	1x11-1/2	1	3.06	78	1-3/8	1.61	41	•	•




31382

Male NPTF Pipe - Swivel

#	Part Number	Thread inch	Hose I.D. inch	A		W inch	B		Additional Material Brass (B)
				inch	mm		inch	mm	
	31382-4-4	1/4x18	1/4	1.60	41	9/16	0.85	22	
	31382-6-6	3/8x18	3/8	1.79	45	11/16	0.89	23	


O-Ring not compatible with Phosphate Ester fluids.



30282

Female NPTF Pipe - Rigid


#	Part Number	Thread inch	Hose I.D. inch	A		H inch	B		Additional Material Brass (B)
				inch	mm		inch	mm	
	30282-4-4	1/4x18	1/4	1.56	40	3/4	0.81	21	•
	30282-6-6	3/8x18	3/8	1.82	46	7/8	0.92	23	•
	30282-8-8	1/2x14	1/2	2.16	55	1-1/16	1.11	28	•



30382


Male JIC 37° - Rigid

#	Part Number	Thread inch	Hose I.D. inch	A		H inch	B		Additional Material Brass (B)
				inch	mm		inch	mm	
	30382-4-4	1/4	7/16x20	1.56	40	1/2	0.81	21	
	30382-6-6	3/8	9/16x18	1.78	45	5/8	0.88	22	•
	30382-8-8	1/2	3/4x16	2.06	52	3/4	1.01	26	



30682


Female JIC 37° - Swivel



#	Thread	Hose I.D.	A	W	B	Additional Material	
Part Number	inch	inch	inch mm	inch mm	inch mm	Brass (B)	Stainless Steel (C)
30682-4-4	1/4 7/16x20	1/4	1.52 39	9/16	0.77 20	•	•
30682-5-4	5/16 1/2x20	1/4	1.58 40	5/8	0.83 21	•	•
30682-6-6	3/8 9/16x18	3/8	1.75 44	11/16	0.85 22	•	•
30682-8-8	1/2 3/4x16	1/2	2.02 51	7/8	0.97 25	•	•
30682-10-8	5/8 7/8x14	1/2	2.14 54	1	1.09 28	•	•
30682-12-12	3/4 1-1/16x12	3/4	2.65 67	1-1/4	1.20 30	•	•
30682-16-16	1 1-5/16x12	1	2.77 70	1-1/2	1.32 34	•	•

33782


Female JIC 37° - Swivel - 45° Elbow - Short Drop



#	Thread	Hose I.D.	A	E	H	W	B
Part Number	inch	inch	inch mm	inch mm	inch	inch	inch mm
33782-4-4	1/4 7/16x20	1/4	1.74 44	0.39 10	7/16	9/16	0.99 25
33782-6-6	3/8 9/16x18	3/8	1.99 51	0.43 11	1/2	11/16	1.09 28
33782-8-8	1/2 3/4x16	1/2	2.58 66	0.55 14	5/8	7/8	1.53 39
33782-10-10	5/8 7/8x14	5/8	3.03 77	0.65 17	3/4	1	1.58 40

33982


Female JIC 37° - Swivel - 90° Elbow - Short Drop



#	Thread	Hose I.D.	A	E	H	W	B
Part Number	inch	inch	inch mm	inch mm	inch	inch	inch mm
33982-4-4	1/4 7/16x20	1/4	1.55 39	0.83 21	---	9/16	0.80 20
33982-8-8	1/2 3/4x16	1/2	2.33 59	1.09 28	5/8	7/8	1.28 33

3JC82

Female Seal-Lok® - Swivel - Short ISO 12151-1 - SWSA




#	Thread	Hose I.D.	A	C	H	W	B	Additional Material	
Part Number	inch	inch	inch mm	inch mm	inch	inch	inch mm	Brass	Stainless
3JC82-4-4	1/4 9/16x18	1/4	1.40 36	0.32 8	9/16	11/16	0.65 17	•	•
3JC82-6-6	3/8 11/16x16	3/8	1.59 40	0.38 10	11/16	13/16	0.69 18	•	•
3JC82-6-6SM	3/8 11/16x16	3/8	1.59 40	0.38 10	19mm	22mm	0.69 18	•	•
3JC82-8-6	1/2 13/16x16	3/8	1.65 42	0.38 10	13/16	15/16	0.76 19	•	•
3JC82-8-8	1/2 13/16x16	1/2	1.80 46	0.43 11	13/16	15/16	0.75 19	•	•
3JC82-10-10	5/8 1x14	5/8	2.40 61	0.53 13	15/16	1-1/8	0.95 24	•	•
3JC82-12-12	3/4 1-3/16x12	3/4	2.63 67	0.57 14	1-1/8	1-3/8	1.18 30	•	•
3JC82-16-16	1 1-7/16x12	1	2.61 66	0.58 15	1-3/8	1-5/8	1.16 29	•	•

33482

Male Standpipe - Rigid - (Inch Size Tube O.D.)


#	Part Number	R inch	Hose I.D. inch	A		D		B		Additional Material	
				inch	mm	inch	mm	inch	mm	Brass (B)	Stainless Steel (C)
	33482-4-4	1/4	1/4	1.89	48	1.02	26	1.14	29	•	•
	33482-5-4	5/16	1/4	1.93	49	1.08	27	1.18	30	•	•
	33482-6-6	3/8	3/8	2.23	57	1.22	31	1.33	34	•	•
	33482-8-8	1/2	1/2	2.16	55	0.97	25	1.11	28	•	•
	33482-10-10	5/8	5/8	2.62	67	1.00	25	1.17	30	•	•
	33482-12-12	3/4	3/4	2.62	67	1.00	25	1.17	30	•	•



38282

Push-Lok Union

#	Part Number	Hose I.D. inch	A		Additional Material Brass (B)
			inch	mm	
	38282-4-4	1/4	1.80	46	•
	38282-6-6	3/8	2.15	55	•
	38282-8-8	1/2	2.51	64	•
	38282-12-12	3/4	3.31	84	•



3C382

Female Metric L - Swivel - (Ball Nose)

End Connection per ISO 8434-1-SWOS

#	Part Number	Thread inch	Hose I.D. inch	A		W mm	B	
				inch	mm		inch	mm
	3C382-8-4B	8	M14x1,5	1.42	36	19	0.63	16
	3C382-10-6B	10	M16x1,5	1.50	38	19	0.59	15
	3C382-15-8B	15	M22x1,5	1.65	42	27	0.59	15

